

Category 8 - Telecommunications and Unified Communications (UC)						
Product or Reference #	Manufacturer Name	Description	UOM	MSRP	% Discount	Net Contract Price
27983473	TOSHIBA	Package of 10. Used to cover the telephone number label under the handset of the 1-button, DKT3001 telephones.	EACH	\$ 12.00	35%	\$ 7.80
27983474	TOSHIBA	Package of 10. Used to cover the Keystrip on the 14-button, DKT30014-SDL digital telephones.	EACH	\$ 20.00	35%	\$ 13.00
ABCS1A	TOSHIBA	1 per cabinet required to trickle charge reserve batteries for battery backup.	EACH	\$ 128.00	35%	\$ 83.20
ABTC1A-3M	TOSHIBA	1 per cabinet to connect power supply CIX/CTX100 battery charger to customer-supplied reserve batteries.	EACH	\$ 77.00	35%	\$ 50.05
AC9500C	TOSHIBA	For replacement or spares.	EACH	\$ 45.00	35%	\$ 29.25
ACTU3A	TOSHIBA	One per CIX100 system support R4.x or higher software.	EACH	\$ 1,193.00	35%	\$ 775.45
ACTU3A-S	TOSHIBA	One per CIX100- S system - supports R4.x software.	EACH	\$ 1,193.00	35%	\$ 775.45
ADKU1A	TOSHIBA	Provides 8 digital station ports on CIX/CTX100.	EACH	\$ 398.00	35%	\$ 258.70
AETS1A	TOSHIBA	Provides a 10base-T Ethernet LAN connection to CIX/CTX100. Mounts on the ACTU1A processor only. Not required for ACTU2A, ACTU2A-S, ACTU3A or ACTU3A-S processor.	EACH	\$ 143.00	35%	\$ 92.95
AMDS1A	TOSHIBA	1 per system, required if remote maintenance modem is needed. Mounts on the basic processor card of each CIX system type.	EACH	\$ 225.00	35%	\$ 146.25
APSU112A	TOSHIBA	Used for replacement or spares.	EACH	\$ 278.00	35%	\$ 180.70
ASTU1A	TOSHIBA	Does not occupy a card slot. Provides 2 standard telephone station ports. 1 port per DTMF or rotary telephone (no message waiting), or peripheral device such as Voice Mail, Auto Attendant, fax, etc. Requires Release 1.3 or higher software in CIX/CTX100.	EACH	\$ 297.00	35%	\$ 193.05
BCOCIS1A	TOSHIBA	Provides 4 CO/PBX/Centrex loop start line circuits with built-in Caller ID interface. Plug onto BCOCIU assembly. BOUCIU with BCOCIS provide 8 CO/PBX/Centrex loop start line circuits with built-in Caller ID.	EACH	\$ 494.00	35%	\$ 321.10
BCOCIU1A	TOSHIBA	Provides 4 CO/PBX/Centrex loop start line circuits with built-in Caller ID interface. Accepts BCOCIS subassembly.	EACH	\$ 644.00	35%	\$ 418.60
BCTU2A	TOSHIBA	One per CIX670 system required to support R4.x and R5.x software with up to 192 ports and up to 2 cabinets with out Remote Maintenance Modem. Requires BEXU2A processor to expand up to 672 ports and up to 7 cabinets.	EACH	\$ 2,550.00	35%	\$ 1,657.50
BDKS1A	TOSHIBA	Provides 8 additional digital station ports. Mounts on BDKU1A.	EACH	\$ 533.00	35%	\$ 346.45
BDKU1A	TOSHIBA	Provides 8 digital station ports for connection of 3000-series or 2000-series DKTs, DSS Console, DDCB, or CTX Attendant Console. Has connectors for an 8- circuit subassembly (BDKS1A) for use with Strata CTX.	EACH	\$ 548.00	35%	\$ 356.20
BEXU2A	TOSHIBA	One per CIX670 system required to support Release 4.x software and over 192 ports or more than 2 cabinets. Requires BCTU2A (not compatible with BCTU1A)	EACH	\$ 1,920.00	35%	\$ 1,248.00
BHEU1A	TOSHIBA	1 per 3000/3200-series or 2000-series DKT with headset or telephone loud ringer option. The digital telephone loud ringer application also requires the BESC1A interface, HESC1A-65 cable and dealer/customer supplied speaker.	EACH	\$ 20.00	35%	\$ 13.00
BIOU1A	TOSHIBA	Provides four-zone paging, three MOH inputs with volume control, four control relays, Background Music (BGM) mute, and a 600 ohm or 3-watt amplifier page output. Maximum 2 BIOU per CIX670 system.	EACH	\$ 567.00	35%	\$ 368.55
BPSU672A	TOSHIBA	Used for replacement or spares.	EACH	\$ 525.00	35%	\$ 341.25
BPTU2A	TOSHIBA	Provides 23 channels for ISDN PRI service on CIX670, CIX200, CIX100 or DK424i, and 12 channels for DK40i (requires R4.3). Strata Net network connection using BPTU1A PRI interface always requires an external CSU. Requires RPRI-CBL-KIT.	EACH	\$ 2,174.00	35%	\$ 1,413.10

BSIS1A	TOSHIBA	Provides two RS-232 serial ports with modular jacks. Required for SMDR or SMDI. Includes 1 serial port license. Additional serial port license required to activate serial port 2-4.	EACH	\$ 330.00	35%	\$ 214.50
BSLS1A	TOSHIBA	Provides 8 standard telephone station ports, requires and mounts on BSLU1A. 1 port per DTMF or rotary telephone, or peripheral device such as Voice Mail, Auto Attendant, fax, etc. Does not support message waiting lamp control or OPS.	EACH	\$ 510.00	35%	\$ 331.50
BSLU1A	TOSHIBA	Provides 8 standard telephone station ports, accepts BSLS1A subassembly. 1 port per DTMF or rotary telephone, or peripheral device such as Voice Mail, Auto Attendant, fax, etc. Does not support message waiting lamp control or OPS.	EACH	\$ 600.00	35%	\$ 390.00
BSTCIU2A	TOSHIBA	Provides 8 standard telephone station ports with Message Waiting and built-in Caller ID interface. 1 port per DTMF or rotary telephone. 1 port per off-premises station, type OL13B line with disconnect supervision.	EACH	\$ 1,289.00	35%	\$ 837.85
BSTU2A	TOSHIBA	Provides 8 standard telephone station ports. 1 port per DTMF or rotary telephone, or peripheral device such as Voice Mail, Auto Attendant, fax with disconnect supervision.	EACH	\$ 916.00	35%	\$ 595.40
BT1009	TOSHIBA	DKT2404-DECT BATTERY	EACH	\$ 23.00	35%	\$ 14.95
BT930	TOSHIBA	For replacements or spares. Provides about 7 hours maximum talk time. 90-day warranty on rechargeable battery.	EACH	\$ 29.00	35%	\$ 18.85
BWDKU1A	TOSHIBA	Provides 16 digital station ports for connection of 3000/3200-series or 2000- series DKTs, DSS Console, DDCB, or CTX Attendant Console on Strata CIX/CTX systems. It also supports Toshiba Cordless and Spectralink Wireless interface units and Handsets. It provides 8 ports on Strata DK systems	EACH	\$ 1,065.00	35%	\$ 692.25
CHSU40A3	TOSHIBA	CIX40 R3 cabinet. Provides 4 CO lines with Caller ID, 8 digital telephone circuits and one standard telephone circuit.	EACH	\$ 869.00	35%	\$ 564.85
CHSU40A3-SYS	TOSHIBA	CIX40 Package with 4x8 cabinet (CHSU40A3), system processor(GCTU2A), power adaptor and 1 GB SD card. Provides 4 CO lines with Caller ID, 8 digital telephone circuits and Includes one standard telephone circuit. Processor provides built-in MOH interface, Paging interface, Relay contact, maintenance modem and NIC for eManager.	EACH	\$ 1,049.00	35%	\$ 681.85
CHSUB112A2	TOSHIBA	For replacement or spares. 1 per system. Requires ACTU processor.	EACH	\$ 765.00	35%	\$ 497.25
CHSUB672A+PS	TOSHIBA	1 per system. CIX/CTX670 Base cabinet requires the BCTU2A (670) or HCTU1A (1200) processor - each processor will support up to 1 expansion cabinet. If Remote maintenance is needed an AMDS1A subassembly is required. This is also a DK424i cabinet - DK424i requires either B1CU, B2CAU/B2CBU, 1 of the B3CAU/B3CBU processor packages, or 1 of the B5CAU/B5CBU processor packages.	EACH	\$ 1,183.00	35%	\$ 768.95
CHSUE112A2	TOSHIBA	Maximum 1 per CIX/CTX100 system.	EACH	\$ 863.00	35%	\$ 560.95
CHSUE672A+PS	TOSHIBA	Expansion cabinet for Strata CIX/CTX670, CIX1200 and DK424i system. If 1 expansion cabinet is needed for the system, the Base cabinet is required to have the BCTU2A (670) or HCTU1A (1200) processor. If 2 or more Rack Mount expansion cabinets are needed, the Base cabinet is required to have the BCTU2A and BEXU2A for CIX670 or for CIX1200, HCTU1A and either HEXAU1A or HEXBU1A processors. If Remote maintenance is needed, an AMDS1A subassembly is required. This is also a DK424i cabinet - maximum 1 per DK424i B2CAU/B2CBU system, 1 or 2 per B3CAU/B3CBU system, 1 to 4 per B5CAU/B5CBU system.	EACH	\$ 1,224.00	35%	\$ 795.60
DDCB3A	TOSHIBA	1 for each of 3 door phone stations. Each DDCB requires 1 digital station port. Maximum 2 DDCBs per CTX100, 3 or 8 DDCBs (with BEXS/BBMS) per CTX670, 4 DDCBs per DK424 and DK424i, 3 DDCBs per DK40i, and 2 DDCBs per DK14.	EACH	\$ 173.00	35%	\$ 112.45

DDM5060	TOSHIBA	60 Button DSS/BLF Expansion Module for DP5000-series telephones, up to 3 DDM5060's supported on: DP5018-S, DP5022-SDM, DP5022-SD, DP5122-SD, DP5032-SD, DP5132-SD, DP5130-SDL. Each DDM5060 requires a station port. DDM5060 not supported on DP5008.	EACH	\$ 495.00	35%	\$ 321.75
DP5018-S	TOSHIBA	Includes 7-ft. modular 2-wire cord. Color - black.	EACH	\$ 218.00	35%	\$ 141.70
DP5022-SDM	TOSHIBA	Available on CIX40 only. Requires migration licence (LIC-1-DP5022SDM) to work on CIX100 and larger systems and will only work on CIX Rls 5.1 or higher processors. Includes 7-ft. modular 2-wire cord. Color - black.	EACH	\$ 185.00	35%	\$ 120.25
DP5122-SD	TOSHIBA	Paper Keystrips. Includes 7-ft. modular 2-wire cord. Color - black.	EACH	\$ 353.00	35%	\$ 229.45
DP5130-SDL	TOSHIBA	9-line Backlit LCD with LCD key labels. Includes 7-ft. modular 2-wire cord. Color - black.	EACH	\$ 474.00	35%	\$ 308.10
DP5132-SD	TOSHIBA	Includes 7-ft. modular 2-wire cord. Color - black.	EACH	\$ 422.00	35%	\$ 274.30
GCDU2A	TOSHIBA	CIX40 optional expansion card. Provides 3 CO lines with Caller ID and 8 digital telephone circuits. Does not require licenses. GCDU2A is not compatible with CTX28, CIX100-S, CIX100, CIX200 and CIX670.	EACH	\$ 626.00	35%	\$ 406.90
GCOCIH1A	TOSHIBA	4-circuit analog Loop Start CO Line with built-in Caller ID Interface for CIX40 R1 (CHSU40A) and CIX40 R2 (CHSU40A2) cabinets. Requires that GCTU2A processor installed in the CIX40 R1 or R2 cabinet has R5.1 or above software.	EACH	\$ 644.00	35%	\$ 418.60
GCTU2A	TOSHIBA	CIX40 processor card. GCTU2A is not compatible with CTX28, CIX100-S, CIX100, CIX200 and CIX670. GCTU2A has a built-in MOH interface, Page Output, Relay Contact, maintenance modem and NIC for eManager.	EACH	\$ 749.00	35%	\$ 486.85
GSTU1A	TOSHIBA	CIX40 and CTX28 plug-on circuit card that provides one interface circuit for standard telephones, FAX or analog modems. The CIX40 and CTX28 standard telephone interfaces do not support message waiting lamps but do support the audible message waiting indicator.	EACH	\$ 89.00	35%	\$ 57.85
GVPH1A	TOSHIBA	CIX40, 4-port Voice Processing card. Does not require licenses. Provides comprehensive Auto Attendant/Voice Mail capabilities. Provides VM Call Monitoring, VM Call Record, VM telephone LCD softkeys and 40 hours of voice storage and 374 mail boxes. Programmable for English or Spanish prompts. GVPH1A is not compatible with CTX28, CIX100-S, CIX100, CIX200, and CIX670.	EACH	\$ 1,199.00	35%	\$ 779.35
HDST ASSY DKT3B	TOSHIBA	For spares or replacement. Can also be used with DKT3000, DKT3200, IPT0120 and IPT2000 series Telephones. Handset cord must be purchased separately.	EACH	\$ 35.00	35%	\$ 22.75
HDST ASSY DKT3W	TOSHIBA	For spares or replacement. Can also be used with DKT3000, DKT3200, IPT0120 and IPT2000 series Telephones. Handset cord must be purchased separately.	EACH	\$ 35.00	35%	\$ 22.75
HDST ASSY DP5B	TOSHIBA	For spares or replacement. Can also be used with DP5000 and IP5000 series Telephones.	EACH	\$ 45.00	35%	\$ 29.25
HDST CORD 5008B	TOSHIBA	For spares or replacement. Can only be used with DP5008 Telephone. Black	EACH	\$ 15.00	35%	\$ 9.75
HDST CORD DP5B	TOSHIBA	For spares or replacement. Can be used with all DP5000 and IP5000 series Telephones except the DP5008 - (Pls use part number HDST CORD 5008B)	EACH	\$ 15.00	35%	\$ 9.75
HPFB-6	TOSHIBA	Up to 2 per system when battery back-up is desired. For CIX40 and CTX28 systems. Each provide about one hour of reserve power in case of an AC power loss.	EACH	\$ 263.00	35%	\$ 170.95
H-TASKE-LICKEY	TOSHIBA	License dongle for Taske. Required for Taske running on IPedge Virtual Server or Virtual App Server software ver 1.7 or higher. It is not required on IPedge IPedge Virtual Server or Virtual App Server 1.6x or below.	EACH	\$ 75.00	35%	\$ 48.75
I-EC-RL2-1A	TOSHIBA	Two post rail kit to mount IPedge server model I-EC-1A server in a two post server rack.	EACH	\$ 135.00	35%	\$ 87.75
I-EC-RL4-1A	TOSHIBA	Four post rail kit to mount IPedge server model I-EC-1A server in a four post server rack.	EACH	\$ 128.00	35%	\$ 83.20

I-EP-ACADAPTOR	TOSHIBA	EP Server AC Adaptor	EACH	\$ 48.00	35%	\$ 31.20
I-EP-HDD	TOSHIBA	IPedge model I-EP-1A 250gb SATA hard drive. As needed for spares.	EACH	\$ 192.00	35%	\$ 124.80
I-EP-RL2-1A	TOSHIBA	Optional I-EP-1A mounting bracket, used for installing system in 2 or 4 post server racks.	EACH	\$ 218.00	35%	\$ 141.70
IP4100-ADAPTOR	TOSHIBA	AC Adaptor for the IP4100-CHARGER	EACH	\$ 60.00	35%	\$ 39.00
IP4100-BASE	TOSHIBA	* DECT 6.0 ,Çð Base station	EACH	\$ 585.00	35%	\$ 380.25
IP4100-BATTERY	TOSHIBA	3.7V 1100mA Li-Ion Battery	EACH	\$ 60.00	35%	\$ 39.00
IP4100-DECT	TOSHIBA	* DECT 6.0 ,Çð Handset	EACH	\$ 383.00	35%	\$ 248.95
IP5022-SD	TOSHIBA	Full-duplex speakerphone with 10 programmable buttons, 4-line non-backlit LCD, Gigabit Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200, or 1-channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply or endpoint license. Color - Black.	EACH	\$ 330.00	35%	\$ 214.50
IP5122-SD	TOSHIBA	Full-duplex speakerphone with 10 programmable buttons, 4-line backlit LCD, Gigabit Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200 or 1-channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply, or endpoint license. Color - Black.	EACH	\$ 360.00	35%	\$ 234.00
IP5131-SDL	TOSHIBA	Full-duplex speakerphone with 20 programmable buttons (10 buttons with shift) and LCD key labels, 9-line backlit LCD, Gigabit Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200 or 1- channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply, or endpoint license. Color - Black.	EACH	\$ 545.00	35%	\$ 354.25
IP5132-SD	TOSHIBA	Full-duplex speakerphone with 20 programmable buttons, 4-line backlit LCD, Gigabit Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200 or 1-channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply, or endpoint license. Color - Black.	EACH	\$ 404.00	35%	\$ 262.60
IP5522-SD	TOSHIBA	Full-duplex speakerphone with 10 programmable buttons, 4-line non-backlit LCD, 10/100Mbps Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200, or 1-channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply or endpoint license. Color - Black. Does not support ADM, DSS, BESC and carbon handset/headset.	EACH	\$ 222.00	35%	\$ 144.30
IP5531-SDL	TOSHIBA	Full-duplex speakerphone with 20 programmable buttons (10 buttons with shift) and LCD key labels, 9-line non-backlit LCD, 10/100Mbps Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200, or 1-channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply or endpoint license. Color - Black. Does not support carbon handset/headset.	EACH	\$ 305.00	35%	\$ 198.25
IP5622-SD	TOSHIBA	Full-duplex speakerphone with 10 programmable buttons, 4-line backlit LCD, 10/100Mbps Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200, or 1-channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply or endpoint license. Color - Black. Does not support ADM, DSS, BESC and carbon handset/headset.	EACH	\$ 233.00	35%	\$ 151.45
IP5631-SDL	TOSHIBA	Full-duplex speakerphone with 20 programmable buttons (10 buttons with shift) and LCD key labels, 9-line backlit LCD, 10/100Mbps Ethernet connection. Telephone uses 1-channel on MIPU or LIPU/LIPS in Strata CIX100/200/670/1200, or 1-channel on GIPU8 or MIPU or GIPH in CIX40. Does not include local power supply or endpoint license. Color - Black. Does not support carbon handset/headset.	EACH	\$ 383.00	35%	\$ 248.95

KM5020	TOSHIBA	Key Expansion Module for DP5000 & IP5000-series telephones, up to 2 KM5020's supported on: DP5018-S, DP5022-SDM, DP5022-SD, DP5122-SD, DP5032-SD, DP5132-SD, DP5130-SDL, IP5122-SD, IP5132-SD, IP5131-SDL. KM5020 not supported on DP5008.	EACH	\$ 225.00	35%	\$ 146.25
LADP2000-4A	TOSHIBA	For use with IP5000-series telephones and BESC1A - INPUT AC120V OUTPUT 12VDC / 1A	EACH	\$ 15.00	35%	\$ 9.75
LVMU1A	TOSHIBA	Strata CIX 2-8-port Voice Mail card. Requires CIX upgrade licenses to expand beyond 2 ports (see Strata CIX Licenses section). The first 2 ports are pre-configured on CIX processors with Release 4.2 or higher. Provides comprehensive Auto Attendant/Voice Mail capabilities, VM Call Monitoring, VM Call Record, VM telephone LCD softkeys, 40 hours of voice storage, and 360 mail boxes. Programmable for English or Spanish prompts. LVMU1A is compatible with CIX100-S, CIX100, CIX200, and CIX670.	EACH	\$ 1,222.50	35%	\$ 794.63
MDFB	TOSHIBA	Requires DDCB. Maximum 3 per DDCB3A.	EACH	\$ 65.00	35%	\$ 42.25
MIPU16-1A	TOSHIBA	1 MIPU channel required for each IP telephone, each MAS voice mail port, each MAS ACD voice announce channel, and each Strata Net IP networking channel in a Strata CIX system. One LIC-CIX-IP PORT license is required for each IP telephone. A LIC-4 BASIC license is required for ACD ports, Attendant Consoles, Strata Net IP, and Voice Mail ports. SIP Trunks require one LIC-CIX-SIPT-CH per channel.	EACH	\$ 1,199.00	35%	\$ 779.35
MIPU24-1A	TOSHIBA	1 MIPU channel required for each IP telephone, each MAS voice mail port, each MAS ACD voice announce port, and each Strata Net IP networking channel in a Strata CIX system. One LIC-CIX-IP PORT license is required for each IP telephone. A LIC-4 BASIC license is required for ACD ports, Attendant Consoles, Strata Net IP, and Voice Mail ports. SIP Trunks require one LIC-CIX-SIPT-CH per channel.	EACH	\$ 1,725.00	35%	\$ 1,121.25
PBTC-3M	TOSHIBA	1 per cabinet (maximum 2) to connect power supply battery charger to customer-supplied reserve batteries. 3 and more cabinet configurations require the BBTC1A-2.0M cable.	EACH	\$ 78.00	35%	\$ 50.70
RCOS3A	TOSHIBA	1 per RCOU. The RCOS attaches to the RCOU to provide 4 additional loop start CO/PBX/Centrex line circuits.	EACH	\$ 321.00	35%	\$ 208.65
RCOU3A	TOSHIBA	Provides 4 CO/PBX/Centrex loop start line circuits. Accepts RCOS subassembly.	EACH	\$ 398.00	35%	\$ 258.70
RPRI-CBL-KIT	TOSHIBA	1 required for each BPTU or RPTU PRI interface.	EACH	\$ 128.00	35%	\$ 83.20
SD-1GB	TOSHIBA	One 1GB Secure Digital Media Card for CIX R4.0 Processors is shipped with each Strata CIX bundled package system (Used on ACTU3A, LCTU2A and BCTU2A). This part can be ordered for spares or replacements.	EACH	\$ 150.00	35%	\$ 97.50
CM-STD1	TOSHIBA	License enables UCedge Essentials or Call Manager Standard and can be applied to IPedge, the IPedge Application Server, Strata MAS or Strata ACD. UCedge Essentials provides Visual voicemail, Callback/Callthru as well as screen based telephony including the Contact and History. Call Manager Standard provides the screen based telephony and Outlook Contact dialing.	EACH	\$ 5.00	35%	\$ 3.25
LICMAS-TASAGENT	TOSHIBA	License to add an agent in TASKE reporting.	EACH	\$ 215.00	35%	\$ 139.75
LICMAS-TASBASE	TOSHIBA	NOTE: Before you order this maintenance license, access FYI>License Codes>System Config Inquiry or FYI>License Codes>Maintenance Expiration to ensure you're ordering the correct item and quantity. If all maintenance parts suggested by FYI are not GENERATED simultaneously, your license generation will probably fail. The maintenance parts can be on different sales orders but MUST BE SELECTED WHEN GENERATING THE LICENSE. Select the "Activate Licenses From Dealer License Inventory" button in the FYI licensing module and then select the sales orders which have the maintenance parts (CONA, CONB and CONR).	EACH	\$ 5,355.00	35%	\$ 3,480.75

LICMAS-TASCONS	TOSHIBA	Annual maintenance for ongoing support and free upgrades. Recommended for larger TASKE Site (guide line: more than 150 agents) in lieu of the Base plus agent model for TASKE. If the system is out of maintenance more than 3 months, LICMAS-TASCONR must be purchased and activated at the same time. NOTE: Before you order this maintenance license, access FYI>License Codes>System Config Inquiry or FYI>License Codes>Maintenance Expiration to ensure you're ordering the correct item and quantity. If all maintenance parts suggested by FYI are not GENERATED simultaneously, your license generation will probably fail. The maintenance parts can be on different sales orders but MUST BE SELECTED WHEN GENERATING THE LICENSE. Select the "Activate Licenses From Dealer License Inventory" button in the FYI licensing module and then select the sales orders which have the maintenance parts (CONA, CONB and CONR).	EACH	\$ 4,286.00	35%	\$ 2,785.90
LICMAS-TASMT	TOSHIBA	Taske Reporter, web based reporting package, base license for ACD system. Includes 50 agents and 1 supervisor support. Requires IPedge ACD or Strata ACD system.	EACH	\$ 3,000.00	35%	\$ 1,950.00
LICMAS-TASMTSUP	TOSHIBA	Additional supervisor client license for myTaskeReporter	EACH	\$ 642.00	35%	\$ 417.30
LICMAS-TASMTUPG	TOSHIBA	Upgrade from TaskeReporter (LICMAS-TASMT) to Taske Contact Base (10 agents, 1 supervisor). Additional agents and supervisors will require the separate license.	EACH	\$ 2,678.00	35%	\$ 1,740.70
LICMAS-TASMTUPP	TOSHIBA	Taske Reporter promo (LICMAS-TASMT) upgrade to Taske Contact 20 agents/1 supervisor, 1 Display Central, 1 Desktop client system.	EACH	\$ 3,570.00	35%	\$ 2,320.50
LICMAS-TASSUP1	TOSHIBA	Concurrent user license for monitoring, reporting, database searches, database administration, and forecasting for TASKE for MAS.	EACH	\$ 2,035.50	35%	\$ 1,323.08
LICMAS-TASSUPMT	TOSHIBA	Annual maintenance for ongoing support and free upgrade for myTaskeReporter after the initial first year warranty.	EACH	\$ 644.00	35%	\$ 418.60
<b>Category 9 - Maintenance for Category 8</b>						
Product or Reference #	Manufacturer Name	Description	UOM	MSRP	% Discount	Net Contract Price
LICMAS-TASCONA	TOSHIBA	TASKE Contact software package includes 10 agents, 1 supervisor, 1 Display Central, and 1 year free upgrades/tech support.	per year	\$ 21.00	10%	\$ 18.90
LICMAS-TASCONB	TOSHIBA	Annual maintenance for ongoing support and free upgrades for TASKE. Required LICMAS-TASCONB. The quantity must match with the number of licensed agents. If the system is out of maintenance for more than 3 months, LICMAS-TASCONR must be purchased and activated at the same time.	per year	\$ 1,071.00	10%	\$ 963.90
LICMAS-TASCONR	TOSHIBA	Annual maintenance for ongoing support and free upgrades for smaller sites (guide line: less than 150 agents) for TASKE. If the system is out of maintenance for more than 3 months, LICMAS-TASCONR must be purchased and activated at the same time.	per year	\$ 1,071.00	10%	\$ 963.90
MAINT-ACD	TOSHIBA	Maintenance part used by FYI to generate the annual maintenance license for ACD/Call Manager (Net Phone) system. Price is automatically calculated by FYI and is currently set at \$175.00 + 8.5% of the Dealer List Price of the total application per year. (Go to FYI > License Codes > License/Maintenance Inq to extend the maintenance for your system)	per year	TBD	10%	TBD
MAINT-RCC	TOSHIBA	Dealer support includes full parts and labor maintenance coverage to keep all system components in good working condition	per year	8.5% of MSRP	10%	TBD
SUS	TOSHIBA	Software Support and Upgrade Service (SUS) token. This part is required when purchasing Software Support and Upgrade Service for a system which has a Multi-Year Support Agreement. Quote and FYI will calculate the quantity to be purchased and FYI will prompt the Dealer at time of license generation. Dealer will use this "SUS" license part number to complete the license generation process.	per year	\$ 2.00	10%	\$ 1.80

SUS-CP	TOSHIBA	Software Support and Upgrade Service (SUS). This part is required when purchasing Software Support and Upgrade Service for a system which has a Multi-Year Support Agreement. Quote and FYI will calculate the quantity to be purchased and FYI will prompt the Dealer at time of license generation. Dealer will use this "SUS" license part number to complete the license process.	per year	TBD	10%	TBD
--------	---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	-----	-----	-----